Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claim 1 (original). A compound represented by the formula

(I)

wherein:

R₁, R₃, R₄, R₅, R₆ and R₇ are each independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted, alkynyl, heterocycloalkyl, substituted heterocycloalkyl, substituted carbonyl, acylamino, halogen, nitro, nitrilo, sulfonyl, aryl, substituted aryl, heteroaryl, substituted heteroaryl, oxygen, substituted oxygen, nitrogen, substituted nitrogen, sulfur and substituted sulfur;

R₂ is selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, heterocycloalkyl, substituted heterocycloalkyl, substituted carbonyl, sulfonyl, aryl, substituted aryl, heteroaryl, substituted heteroaryl, substituted oxygen, substituted nitrogen and substituted sulfur;

R₈ is absent or selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, heterocycloalkyl, substituted heterocycloalkyl, substituted carbonyl, acylamino, halogen, nitro, nitrilo, sulfonyl, aryl, substituted aryl, heteroaryl, substituted heteroaryl, oxygen, substituted oxygen, nitrogen, substituted nitrogen, sulfur and substituted sulfur;

 R_9 , R_{10} and R_{11} are independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, heterocycloalkyl, substituted heterocycloalkyl, substituted carbonyl, acylamino, halogen, nitro, nitrilo, sulfonyl, aryl, substituted aryl, heteroaryl, substituted heteroaryl, oxygen, substituted oxygen, nitrogen, substituted nitrogen, sulfur and substituted sulfur;

 R_{12} , R_{13} , R_{14} and R_{15} are independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl,

alkynyl, substituted alkynyl, heterocycloalkyl, substituted heterocycloalkyl, substituted carbonyl, acylamino, aryl, substituted aryl, heteroaryl, and substituted heteroaryl;

 R_{16} , R_{17} , R_{18} and R_{19} are independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, heterocycloalkyl, substituted heterocycloalkyl, substituted carbonyl, acylamino, halogen, nitro, nitrilo, sulfonyl, aryl, substituted aryl, heteroaryl, substituted heteroaryl, oxygen, substituted oxygen, nitrogen, substituted nitrogen, sulfur and substituted sulfur; and

 X_1 is carbon or nitrogen.

Claim 2 (original). A compound according to Claim 1 wherein R_8 , R_9 , R_{10} and R_{11} are halogen, R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 , R_{12} , R_{13} , R_{14} , R_{15} , R_{16} , R_{17} , R_{18} and R_{19} are as defined in Claim 1 and X_1 is carbon.

Claim 3 (original). The imaging member comprising a first image-forming layer including a compound according to Claim 1, said compound being in the crystalline form.

Claim 4 (original). The imaging member as defined in Claim 3 and further including a substrate and at least a second color-forming layer, said second color-

forming layer being capable of forming a color different from that formed by said first color-forming layer.

Claim 5 (original). The imaging member as defined in Claim 4 and further including a third color-forming layer, said third color-forming layer being capable of forming a color different from those formed by said first and second color-forming layers.

Claim 6 (original). The imaging member as defined in Claim 5 wherein said color-forming layers form magenta, cyan and yellow color, respectively.

Claim 7 (original). The imaging method comprising

- (a) providing an imaging member as defined in Claim 3; and
- (b) converting at least a portion of said compound to the liquid form in an imagewise pattern whereby an image is formed.

Claim 8 (original). The method as defined in Claim 7 wherein step (b) comprises applying an imagewise pattern of thermal energy to said imaging member whereby at least a portion of said compound is converted to the liquid form and an image is formed.

Claim 9 (original). The thermal imaging method as defined in Claim 8 wherein said imaging member further includes a substrate and at least a second color-forming layer, said second color-forming layer being capable of forming a color different from that formed by said first color-forming layer.

Claim 10 (currently amended). The imaging method as defined in Claim \$ 9 wherein said imaging member further includes a third color-forming layer, said third color-forming layer being capable of forming a color different from those formed by said first and second color-forming layers.

Claim 11 (original). The imaging method as defined in Claim 10 wherein said color-forming layers form magenta, cyan and yellow color, respectively.

Claim 12 (new). The imaging method as defined in Claim 7 wherein said imaging member includes a compound according to Claim 1 wherein R_8 , R_9 , R_{10} and R_{11} are halogen, R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 , R_{12} , R_{13} , R_{14} , R_{15} , R_{16} , R_{17} , R_{18} and R_{19} are as defined in Claim 1 and X_1 is carbon.

Claim 13 (new). The imaging member as defined in Claim 3 wherein said first image-forming layer includes a compound according to Claim 1 wherein R_8 , R_9 , R_{10} and R_{11} are halogen, R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 , R_{12} , R_{13} , R_{14} ,

 R_{15} , R_{16} , R_{17} , R_{18} and R_{19} are as defined in Claim 1 and X_1 is carbon, said compound being in the crystalline form.